

Kathy Zimmerman has sandwiched a central intertwined cable between two thinner counterparts in this pullover for him. Wide ribbing gives the crewneck extra latitude.



## MEN'S CABLED CREWNECK

### KNITTED MEASUREMENTS

- Sized for Man's Small (Medium, Large, X-Large). Shown in size Medium.

### MATERIALS

- 10 (10, 11, 12) 3½oz/100g balls (each approx 135yd/122m) of Reynolds/JCA *Cabana* (cotton/acrylic) in #832 dark red heather
- One pair each sizes 9 and 10 (5.5 and 6mm) needles OR SIZE TO OBTAIN GAUGE
- Size 9 (5.5mm) circular needles, 16"/40cm long
- Two cable needles
- Stitch markers

### FINISHED MEASUREMENTS

- Chest 40 (43½, 47, 51½)"/110.5 (109, 119.5, 131)cm
- Length 24½ (25, 25½, 26)"/62 (63.5, 65, 66)cm
- Upper arm (slightly stretched) 18 (19, 20, 21)"/45.5 (48.5, 51, 53.5)cm

### GAUGE

17 sts and 20 rows to 4"/10cm over k1, p3 rib using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

### K1, P3 RIB

(multiple of 4 sts plus 1)

**Row 1 (WS)** P1; \*k3, p1; rep from \* to end.

**Row 2** K the knit sts and p the purl sts.

Rep rows 1 and 2 for k1, p3 rib.

### STITCH GLOSSARY

#### 2-st RC

Sl 1 st to cn and hold to back, k1, k1 from cn.

#### 2-st LC

Sl 1 st to cn and hold to front, k1, k1 from cn.

#### 2-st RPC

Sl 1 st to cn and hold to back, k1, p1 from cn.

#### 2-st LPC

Sl 1 st to cn and hold to front, p1, k1 from cn.

#### 3-st RPC

Sl 2 sts to cn and hold to back, k1, slip p st from cn back to LH needle and p it, k1 from cn.

#### 3-st LPC

Sl 1 st to cn and hold to front, sl next st to 2nd cn and hold to back, k1, p st from 2nd cn, then k1 from first cn.

### BACK

With smaller straight needles, cast on 85 (93, 101, 109) sts. Work in k1, p3 rib for 2½"/6.5cm. Change to larger needles.



### Beg cable pats

**Row 1 (RS)** Rib 21 (25, 29, 33) sts, pm, work 11 sts chart #1, 21 sts chart #2, 11 sts chart #3, pm, rib to end. Cont in pats as established until piece measures 14½"/37cm from beg.

### Armhole shaping

Bind off 6 (7, 7, 8) sts at beg next 2 rows—73 (79, 87, 93) sts. Work even until armhole measures 9 (9½, 10, 10½)"/23 (24, 25.5, 26.5)cm.

### Shoulder and neck shaping

Bind off 7 (8, 9, 10) sts at beg of next 6 rows, AT SAME TIME, bind off center 23(23, 25, 25) sts for neck, and working both sides at once, bind off 2 sts from each neck edge twice.

### FRONT

Work as for back until armhole measures 7 (7½, 8, 8½)"/18 (19, 20.5, 21.5)cm.

### Neck and shoulder shaping

**Next row (RS)** Work 30 (33, 36, 39) sts, join 2nd ball of yarn and bind off center 13 (13, 15, 15) sts, work to end. Working both sides at once, bind off from each neck edge 3 sts once, 2 sts twice, then 1 st twice, AT SAME TIME, when same length same as back to shoulder, shape shoulder same as back.

### SLEEVES

With smaller needles, cast on 45 sts. Work in k1, p3 rib for 2½"/6.5cm. Change to larger needles. Cont in rib, inc 1 st each side (working inc sts into rib) every 4th row 5 (10, 16, 21) times, then every 6th row 11 (7, 3, 0) times—77 (79, 83, 87) sts. Work even until piece measures 21 (21, 21½, 21½)"/53.5 (53.5, 54.5, 54.5)cm from beg. Bind off all sts loosely in pat.

**FINISHING**

Block pieces to measurements. Sew shoulder seams.

**NECKBAND**



With RS facing and circular needle, pick up and k 80 (80, 84, 84) sts evenly around neck edge. Join and work in k1, p3 rib for 1 1/2"/4cm. Bind off loosely in rib.

Set in sleeves, stretching slightly to fit if necessary, sewing last 1 1/2 (1 3/4, 1 3/4, 2)"/4 (4.5, 4.5, 5)cm at top of sleeve to bound-off armhole sts. Sew side and sleeve seams. ❖

**Stitch Key**

- K on RS, p on WS
- P on RS, k on WS
- 2-st RC
- 2-st LC
- 2-st RPC
- 2-st LPC
- 3-st RPC
- 3-st LPC

**CHART #1**



**CHART #2**

